NETGEAR®

S350 Smart Managed Pro Switch Series

Data Sheet

GS308T, GS310TP, GS324T, GS324TP and GS348T





As a leading provider of network equipment for SMBs, NETGEAR® understands the importance of reliable and high performance networks that are SMB budget aware. With the growth of virtualization, cloud-based services and applications like VoIP, video streaming and IP surveillance, SMB networks need to extend beyond simple reliability to performance and security. The NETGEAR S350 Gigabit Smart Managed Pro Switch series is tailored to these essential network needs of your business; delivering unprecedented non-blocking Gigabit bandwidth and solid network security at an affordable cost.

NETGEAR Smart Managed Pro S350 series consists of five switch models, including 8-, 24- and 48-port Gigabit Ethernet switches and 8-, and 24-port Gigabit Ethernet PoE+ switches with 2 or 4 SFP ports for fiber uplinks, offering powerful Layer 2 features, enhanced performance and ease of use. They are purposely designed for converged networks where voice, video, data are all carried on a single network platform. Advanced features such as L2/L3/L4 Access Control Lists (ACLs), Quality of Service (QoS), Link Aggregation Control Protocol (LACP) and Spanning Tree Protocol (STP) will ensure a high-speed and highly secured network environment for your business.

All NETGEAR S350 Series switches support flexible mounting options, including wall-mounting, desktop and under-table installation. The 24- and 48-port models are also rack-mountable. All models include Kensington lock slot to physically secure your switch in open space. The fan-less 8-port models and 24-port non-PoE model will operate silently, ideal for the noise-sensitive environment. The 24-port PoE+ model and 48-port model also work under 33dBA acoustic level. All NETGEAR S350 Series switches support IEEE 802.3az Energy Efficient Ethernet mode, caring power saving for your business. NETGEAR S350 Series is covered by NETGEAR ProSAFE® Limited Lifetime Hardware Warranty* and extendable support**, offering a worry-free user's experience at very affordable total cost of ownership.

Highlights

Flexible and cost-effective solution for SMB data, voice and video converged network

- 8/24/48 Gigabit 10/100/1000BASE-T RJ-45 ports
- 55W (GS310TP) or 190W (GS324TP) PoE budget across 8 or 24 Gigabit PoE+ ports (802.3at)
- Dedicated SFP fiber ports: 2 on GS310TP/ GS324T/GS324TP and 4 on GS348T
- Non-blocking switching with 16Gbps to 104Gbps line rate fabric
- Fan-less design on GS308T/GS310TP/ GS324T; GS324TP and GS348T has max acoustic noise level at 32.8dB and 26dB respectively under 25°C (77°F) ambient

Powerful Connectivity and Security Features

Advanced VLAN support for better network segmentation

- L2/L3/L4 Access control lists (ACLs) for granular network access control including 802.1x port authentication
- QoS (Quality of Service) for traffic prioritization including port-based, 802.1p and L2/L3/L4 DSCP-based
- · Auto "denial-of-service" (DoS) prevention
- IGMP Snooping and Querier for multicast optimization
- Rate limiting and priority queuing for better bandwidth allocation
- · Port mirroring for network monitoring
- Energy Efficient Ethernet (IEEE 802.3az) for maximum power savings
- Cable test to troubleshoot connection issues
- SNMP v1, v2c, v3 and RMON remote monitoring

Smart IT, not Big IT

- Easy-to-use Web browser-based management GUI available in English, German and Japanese
- Manageable through Smart Control Center, a powerful tool for multi-switch discovery, deployment, monitoring and firmware upgrade
- Network Management System (NMS300), allowing all NETGEAR business products to be deployed and managed through this single interface
- Dual firmware images, improving reliability and uptime to your network
- Worry-free ProSAFE Limited Lifetime Warranty*, online technical chat support and Next Business Day (NBD) replacement.







NETGEAR®

S350 Smart Managed Pro Switch Series

Data Sheet

GS308T, GS310TP, GS324T, GS324TP and GS348T

Hardware at a Glance

	FRONT				REAR	SIDE	
Model Name	Form-Factor	10/100/1000 Base-T RJ45 ports	1000BASE-X Fiber SFP Ports	PoE+ 802.3at Ports (Budget)	Power Supply	Fans	
GS308T	Desktop	8	-	-	1 external PSU, DC 12V 1.0A	Fan-less	
GS310TP	Desktop	8	2	8 PoE+ (55W)	1 external PSU, DC 54V 1.25A	Fan-less	
GS324T	Rackmount	24	2	-	1 internal PSU, fixed	Fan-less	
GS324TP	Rackmount	24	2	24 PoE+ (190W)	1 internal PSU, fixed	2 internal fans, fixed	
GS348T	Rackmount	48	4	-	1 internal PSU, fixed	1 internal fan, fixed	

Software at a Glance

	LAYER 2 FEATURES					
Management	IPv4 ACL and QoS	IPv4 Multicast Filtering	Auto-VoIP	IEEE (802.3az) Energy Efficient Ethernet	MAC VLANs	Convergence Advanced Features
Web Browser-based GUI (HTTP/HTTPS), PC-Based Smart Control Center Utility (SCC) RMON, SNMP	L2, L3, L4, ingress	IGMP Snoop- ing, Querier, Fast Leave, L2 Multi- cast Router	Yes	Yes	4K or 8K MAC 64 VLANs Static, Dynamic, Voice	LLDP-MED RADIUS 802.1X LACP, STP, SNMP

Performance at a Glance

Model Name	Packet buffer	CPU	Fabric	MAC Address Table ARP Table VLANs	Multicast IGMP Group	ACLs
GS308T		500MHz 128MB DDR RAM 32MB FLASH	16Gbps line-rate	8K MAC 64 VLANs	256	100 shared
GS310TP	F4.2VD		20Gbps line-rate			
GS324T	2 1 Z K B	512KB 1.2GHz	F3Ch a dia a sata	16K MAC	512	
GS324TP		128MB DDR RAM 32MB FLASH	52Gbps line-rate			
GS348T	1.5MB	400MHz 512MB DDR RAM 128MB FLASH	104Gbps line-rate	64 VLANs		

Ordering Information

Model Name	Americas	Europe	Asia Pacific	India	China
GS308T	GS308T-100NAS	GS308TP-100PES GS308TP-100UKS	GS308T-100AUS GS308T-100JPS	GS308T-100INS	GS308T-100PRS
GS310TP	GS310TP-100NAS	GS310TP-100EUS	GS310TP-100AJS	GS310TP-100INS	GS310TP-100PRS
GS324T	GS324T-100NAS	GS324T-100EUS	GS324T-100AJS	GS324T-100INS	GS324T-100PRS
GS324TP	GS324TP-100NAS	GS324TP-100EUS	GS324TP-100AJS	GS324TP-100INS	GS324TP-100PRS
GS348T	GS348T-100NAS	GS348T-100EUS	GS348T-100AJS	GS348T-100INS	GS348T-100PRS

^{*} This product comes with a limited warranty that is valid only if purchased from a NETGEAR authorized reseller, and covers unmodified hardware, fans and internal power supplies – not software or external power supplies, and requires product registration at https://www.netgear.com/business/registration within 90 days of purchase; see https://www.netgear.com/about/warranty for details. Intended for indoor use only.

NETGEAR, the NETGEAR Logo, and ProSAFE are trademarks of NETGEAR, Inc. in the United States and/or other countries. Other brand names mentioned herein are for identification purposes only and may be trademarks of their respective holder(s). Information is subject to change without notice. © 2018 NETGEAR, Inc. All rights reserved.

^{**} The NETGEAR OnCall 24x7 contract provides unlimited phone and email technical support for your networking product. For ProSAFE products purchased prior to 06/2014, also includes next-business-day hardware replacement.

[†] NETGEAR #1 in US Market Share according to NPD data for Unmanaged and Web/Smart Switches, August 2018. NETGEAR #1 in Europe Market Share according to Context data for Unmanaged and Web/Smart Switches, June 2018.